# amtekco

Project Name: _		
Location:		
ltem#:	Qty:	

Drawing#:

#### **614-737-8850** • **1-877-898-8850**

## Drop-in Cold Pan (Self-contained)

#### **Product specifications:**

- Top is constructed of 16g. 304 S/S fully welded and polished.
- Heavy gauge stainless steel liner with serpentine evaporator mechanically bonded to liner, and covered with thermal mastic to ensure a uniform temperature.
- Cold pan body is constructed of fully welded, heavyduty galvanized steel. Insulated with foamed-inplace polyurethane 2" thick on all sides (compare to competitor's units @ 1-1/2" thick)
- Unit utilizes environmentally friendly R-404a refrigerated and thermal expansion valve for quick recovery and maximum performance.
- Designed to hold standard 12" x 20" (30.5 x 50.8cm) pans. Unit designed to accept 6" deep pans with pre-chilled products at serving temperatures.

#### Tailored to Your Needs:

Just one of the benefits of our complete in-house design, fabricating and manufacturing capabilities, is the fact that any of our Refrigerated Cold Pans can be tailored to fit your exact functional needs and interior décor preferences. Just let us know what you want, and our professional design staff will make it a reality.



ADIRSC-Series

#### Standard features:

- Electronic thermostat
- 8 ft. long electrical cord included for easy installation
- All welded construction
- One removable adapter bar included per opening
- 1/2" S/S integrated drain
- 5 Year condensing unit warranty
- On/off switch
- Condensing unit located underneath cold pan
- Designed to hold food at 34° 40°

👐 A Wasserstrom Company


(NSE)


(T)).




APPROVAL:

### amtekco Products for the food service professional







SIDE VIEW

FRONT ELEVATION

		CUTOUT DIMENSIONS								
PART #	PANS	"WIDTH"	"LENGTH"	COMPRESSOR HOUSING LENGTH "A"	TOP WIDTH "B"	TOP LENGTH "C"	COMPRESSOR	AMPS	VOLTAGE	SHIP WEIGHT
ADIRSC1	1	26-1/8"	18-1/8"	17"	27-1/8"	19-1/8"	$\frac{1}{5}$	4.5	115/60/1	178
ADIRSC2	2	26-1/8"	30-7/8"	17"	27-1/8"	31-7/8"	$\frac{1}{5}$	4.5	115/60/1	208
ADIRSC3	3	26-1/8"	43-5/8"	17"	27-1/8"	44-5/8"	$\frac{1}{3}$	7.28	115/60/1	233
ADIRSC4	4	26-1/8"	56-3/8"	17"	27-1/8"	57-3/8"	$\frac{1}{3}$	7.28	115/60/1	258
ADIRSC5	5	26-1/8"	69-1/8"	26"	27-1/8"	70-1/8"	$\frac{1}{3}$	8.33	115/60/1	307
ADIRSC6	6	26-1/8"	81-7/8"	29"	27-1/8"	82-7/8"	$\frac{1}{2}$	10.6	115/60/1	338
ADIRSC7	7	26-1/8"	94-5/8"	29"	27-1/8"	95-5/8"	$\frac{1}{2}$	10.6	115/60/1	364