



POLY TOP WORKTABLES

PF1-SERIES — OPEN BASE BONING AND TRIMING TABLE W/ S/S BACKSPLASH

PROJECT#: _____

ITEM# _____

MODEL# _____



STANDARD - SPF1 - SERIES				
MODEL NUMBER	QTY	WIDTH (INCHES)	LENGTH (INCHES)	SHIPPING WEIGHT (LBS)
SPF1-2424		24	24	58
SPF1-2430		24	30	65
SPF1-2436		24	36	73
SPF1-2442		24	42	79
SPF1-2448		24	48	86
SPF1-2454		24	54	92
SPF1-2460		24	60	104
SPF1-2466		24	66	113
SPF1-2472		24	72	123
SPF1-2478		24	78	130
SPF1-2484		24	84	138
SPF1-2490		24	90	147
SPF1-2496		24	96	153
SPF1-24102		24	102	160
SPF1-24108		24	108	169
SPF1-24114		24	114	177
SPF1-24120		24	120	189

MODEL NUMBER	QTY	WIDTH (INCHES)	LENGTH (INCHES)	SHIPPING WEIGHT (LBS)
SPF1-3024		30	24	64
SPF1-3030		30	30	71
SPF1-3036		30	36	79
SPF1-3042		30	42	85
SPF1-3048		30	48	92
SPF1-3054		30	54	98
SPF1-3060		30	60	110
SPF1-3066		30	66	119
SPF1-3072		30	72	129
SPF1-3078		30	78	136
SPF1-3084		30	84	144
SPF1-3090		30	90	153
SPF1-3096		30	96	159
SPF1-30102		30	102	166
SPF1-30108		30	108	175
SPF1-30114		30	114	183
SPF1-30120		30	120	195

SPECIFICATIONS:

STANDARD— Series: 300 Series Stainless

FRAME: 16 GA.
300 Series Stainless

POLY TOP: Foam Core Polyethylene
Cutting Surface

CROSS BRACING: 1" Diameter
Tubular Stainless Steel

LEGS: 1 5/8" Diameter
Tubular Stainless Steel

REINFORCING: Formed Channel Fastened to
Top. Legs Welded to Channel

CONSTRUCTION:

- ◆ All Table Connection Points Fully Welded for Maximum Rigidity and Long Life
- ◆ S/S Adjustable Bullet Feet
- ◆ Sound Deadening Between Top and Reinforcing Channel
- ◆ S/S Cross Bracing Welded to Legs
- ◆ Polyethylene Cutting Surface Held in Place on Top of Table by Stainless Steel Tabs Integrally Formed In To Frame
- ◆ Table is Polished to #3 Finish
- ◆ Working Height 35" to 36 1/4"
- ◆ Tables Above 78" Will Require (3) Sets of Legs

